SELECT STANDARDS

Quarter Sconces

For a quarter century, Starfire Lighting has met the exacting demands of contractors and lighting professionals looking for custom fixtures. While our clientele continues to expect the distinction of custom, their fast-tracked deadlines no longer allow for six-week or longer delivery schedules. Starfire's answer: SELECT STANDARDS.

SELECT STANDARDS offers an extensive family of in-stock, stylish wall sconces that will enhance any architectural style. We've mixed and matched among our exclusive line of hand-painted Specialty Finishes, a full pallete of acrylic colors, a vast collection of plated metals, plus a wide array of lamping options.

With SELECT STANDARDS, lighting professionals have immediate access to custom-designed, specification grade fixtures, all at competitive prices. Just flip through our catalog to find the perfect fixtures to meet your client's taste, budget and deadline.

Select Standards™

© 2001 Starfire Lighting, Inc. I0801

Translucent Quarter Sconces

Basic Series
QS1000-QS1004

Trim Series
QS1010-QS1013

Decorative Series
QS1020-QS1025

Opaque Quarter Sconces

Basic Series
QS1030-QS1035

Back-Lit Series
QS1040-QS1042

Trim Series
QS1050-QS1053

Decorative Series
QS1060-QS1065

Basic Series

Translucent Quarter Sconces

QS1001-2N60-D5

DIFFUSER

D1 Opal–Acrylic

D2 Sandblast Opal–Acrylic

D3 White–Faux Alabaster

D4 Silver–Faux Alabaster

D5 Tan–Faux Alabaster

D6 Honey–Faux Alabaster

QS1001-2N60-D2

QS1001-2N60-D4

QS1001-2N60-D6

Basic Series Translucent Quarter Sconces

Typical Specification Number

QS1000	–	2QCF09	–	D4	–	TS
MODEL		LAMP		DIFFUSER		OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic

BALLAST: Magnetic, High Power Factor (ADA; Electronic, QCF26 only)

MOUNTING: Conventional wall box

PHOTOMETRICS: Consult factory

UL listed

LAMPING

N40	40 watt, medium base, A-19
N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF09	9 watt, quad, G23-2 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base (Magnetic Ballast)
	26 watt, quad, G24q-3 base (Electronic Ballast; ADA only)

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of hand-painted Faux Alabaster Standard Finishes.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	12"	6"	6"	QS1000	2N40, 2QCF09
	14"	7"	7"	QS1001	2N60, 2QCF13
	14" ADA	7"	4"	QS1002	1N60, 2QCF09
	18"	9"	9"	QS1003	2N60, 2CF13, 2QCF18, 2QCF26
	18" ADA	9"	4"	QS1004	2N40, 2CF13

DIFFUSER

Acrylic
D1 Opal
D2 Sandblasted Opal
Faux Alabaster*
D3 White
D4 Silver
D5 Tan
D6 Honey

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Trim Series

Translucent Quarter Sconces



QS1012-2N60-D3-BB

QS1010-2N60-D5-PB

QS1010-2N60-D4-BN

QS1010-2N60-D2-OM1

DIFFUSER

D1 Opal–Acrylic

D2 Sandblast Opal–Acrylic

D3 White–Faux Alabaster

D4 Silver–Faux Alabaster

D5 Tan–Faux Alabaster

D6 Honey–Faux Alabaster

TRIM

PC Polished Chrome

BA Brushed Aluminum

BN Brushed Nickel

PB Polished Brass

BB Brushed Brass

AB Antique Brass

PH Polished Copper

BH Brushed Copper

AH Antique Copper

See The Palette for:
Painted / Specialty Finishes

Trim Series Translucent Quarter Sconces

Typical Specification Number

QS1010	–	2QCF13	–	D5	–	BB	–	TL
MODEL		LAMP		DIFFUSER		TRIM		OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic
TRIM: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
UL listed

LAMPING

N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.
Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Traditional Trim



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1010	2N60, 2QCF13
	18"	9"	9"	QS1011	2N60, 2CF13, 2QCF18, 2QCF26

DIFFUSER

Acrylic
D1 Opal
D2 Sandblasted Opal
Faux Alabaster*
D3 White
D4 Silver
D5 Tan
D6 Honey

TRIM

PC Polished Chrome
BA Brushed Aluminum
BN Brushed Nickel
PB Polished Brass
BB Brushed Brass
AB Antique Brass
PH Polished Copper
BH Brushed Copper
AH Antique Copper
Painted Finish*
Specialty Finish

Contemporary Trim



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1012	2N60, 2QCF13
	18"	9"	9"	QS1013	2N60, 2CF13 2QCF18, 2QCF26

DIFFUSER

Acrylic
D1 Opal
D2 Sandblasted Opal
Faux Alabaster
D3 White
D4 Silver
D5 Tan
D6 Honey

TRIM

PC Polished Chrome
BA Brushed Aluminum
BN Brushed Nickel
PB Polished Brass
BB Brushed Brass
AB Antique Brass
PH Polished Copper
BH Brushed Copper
AH Antique Copper
Painted Finish
Specialty Finish

starfire

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Decorative Series

Translucent Quarter Sconces



QS1022-2N60-D4-PB

QS1022-2N60-D6-PB

QS1020-2N60-D2-BH

QS1024-2N60-D2-PC

DIFFUSER

D1 Opal–Acrylic

D2 Sandblast Opal–Acrylic

D3 White–Faux Alabaster

D4 Silver–Faux Alabaster

D5 Tan–Faux Alabaster

D6 Honey–Faux Alabaster

ACCENTS

PC Polished Chrome

BA Brushed Aluminum

BN Brushed Nickel

PB Polished Brass

BB Brushed Brass

PH Polished Copper

BH Brushed Copper

See The Palette for:
Painted Finishes

Decorative Series Translucent Quarter Sconces



Typical Specification Number

QS1020	–	2QCF13	–	D1	–	PC	–	TS
MODEL		LAMP		DIFFUSER		ACCENT		OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
UL listed

LAMPING

N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Vertical Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1020	2N60, 2QCF13
	18"	9"	9"	QS1021	2N60, 2CF13, 2QCF18, 2QCF26

DIFFUSER	ACCENT
Acrylic	PC Polished Chrome
D1 Opal	BA Brushed Aluminum
D2 Sandblasted Opal	BN Brushed Nickel
Faux Alabaster*	PB Polished Brass
D3 White	BB Brushed Brass
D4 Silver	PH Polished Copper
D5 Tan	BH Brushed Copper
D6 Honey	Painted Finish*

Button Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1022	2N60, 2QCF13
	18"	9"	9"	QS1023	2N60, 2CF13, 2QCF18, 2QCF26

DIFFUSER	ACCENT
Acrylic	PC Polished Chrome
D1 Opal	BA Brushed Aluminum
D2 Sandblasted Opal	BN Brushed Nickel
Faux Alabaster	PB Polished Brass
D3 White	BB Brushed Brass
D4 Silver	PH Polished Copper
D5 Tan	BH Brushed Copper
D6 Honey	Painted Finish

Horizontal Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1024	2N60, 2QCF13
	18"	9"	9"	QS1025	2N60, 2CF13, 2QCF18, 2QCF26

DIFFUSER	ACCENT
Acrylic	PC Polished Chrome
D1 Opal	BA Brushed Aluminum
D2 Sandblasted Opal	BN Brushed Nickel
Faux Alabaster	PB Polished Brass
D3 White	BB Brushed Brass
D4 Silver	PH Polished Copper
D5 Tan	BH Brushed Copper
D6 Honey	Painted Finish

starfire

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Basic Series

Opaque Quarter Sconces



QS1032-2QCF13-SP3

QS1032-2QCF13-OM1

QS1032-2QCF13-PC

QS1032-2QCF13-BN

BODY

PC Polished Chrome



BA Brushed Aluminum

BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper

AH Antique Copper

See The Palette for:
Painted / Specialty Finishes

Basic Series Opaque Quarter Sconces

Typical Specification Number

QS1030	–	1CF13	–	BA	–	TL
MODEL		LAMP		BODY		OPTIONS



Specifications

STANDARD

BODY: Spun metal

BALLAST: Magnetic, High Power Factor (ADA; Electronic, QCF26 only)

MOUNTING: Conventional wall box

PHOTOMETRICS: Consult factory

UL listed

LAMPING

N60	60 watt, medium base, A-19
N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base (Magnetic Ballast)
	26 watt, quad, G24q-3 base (Electronic Ballast; ADA only)

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	10"	5"	5"	QS1030	1N60, 1CF13
	12"	6"	6"	QS1031	2N60, 1CF13
	14"	7"	7"	QS1032	2N100, 2QCF13, 1QCF18, 1QCF26
	14" ADA	7"	4"	QS1033	1N100, 1CF13, 1QCF26
	18"	9"	9"	QS1034	2N150, 2CF13, 2QCF18, 2QCF26
	18" ADA	9"	4"	QS1035	2N60, 2CF13, 2QCF26

BODY	
PC	Polished Chrome
BA	Brushed Aluminum
BN	Brushed Nickel
PB	Polished Brass
BB	Brushed Brass
AB	Antique Brass
PH	Polished Copper
BH	Brushed Copper
AH	Antique Copper
	Painted Finish*
	Specialty Finish

starfire

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Back-Lit Series

Opaque Quarter Sconces



QS1041-2QCF13-BB

QS1041-2QCF13-PC

QS1041-2QCF13-GM2

QS1041-2QCF13-GM1

BODY

PC Polished Chrome



BA Brushed Aluminum

BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper

AH Antique Copper

See The Palette for:
Painted / Specialty Finishes

Back-Lit Series Opaque Quarter Sconces

Typical Specification Number

QS1040	–	2N60	–	PH	–	TL
MODEL		LAMP		BODY		OPTIONS



Specifications

STANDARD

BODY: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
UL listed

LAMPING

N60	60 watt, medium base, A-19
N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF09	9 watt, quad, G23-2 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	12"	6"	6"	QS1040	2N60, 2QCF09
	14"	7"	7"	QS1041	2N100, 2QCF13
	18"	9"	9"	QS1042	2N150, 2CF13, 2QCF18, 2QCF26

BODY	
PC	Polished Chrome
BA	Brushed Aluminum
BN	Brushed Nickel
PB	Polished Brass
BB	Brushed Brass
AB	Antique Brass
PH	Polished Copper
BH	Brushed Copper
AH	Antique Copper
	Painted Finish*
	Specialty Finish

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075
TOLL FREE 800-443-8823
FAX 201-656-0666
INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Trim Series

Opaque Quarter Sconces

QS1050F-2QCF13-OM1-BB

QS1050-2QCF13-BB-BN

QS1052-2QCF13-BH-BH

QS1050-2QCF13-EM3-AB

TRIM

PC Polished Chrome



BA Brushed Aluminum

BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper

AH Antique Copper

See The Palette for:
Painted / Specialty Finishes

Trim Series Opaque Quarter Sconces

Typical Specification Number

QS1050F	–	2QCF13	–	PB	–	BB	–	EM
MODEL		LAMP		BODY		TRIM		OPTIONS



Specifications

STANDARD

BODY: Spun metal
TRIM: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
UL listed

LAMPING

N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Traditional Trim with Finial (Optional)



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1050/F (Finial: add F)	2N100, 2QCF13, 1QCF18, 1QCF26
	18"	9"	9"	QS1051/F (Finial: add F)	2N150, 2CF13, 2QCF18, 2QCF26

BODY		TRIM	
PC	Polished Chrome	PC	Polished Chrome
BA	Brushed Aluminum	BA	Brushed Aluminum
BN	Brushed Nickel	BN	Brushed Nickel
PB	Polished Brass	PB	Polished Brass
BB	Brushed Brass	BB	Brushed Brass
AB	Antique Brass	AB	Antique Brass
PH	Polished Copper	PH	Polished Copper
BH	Brushed Copper	BH	Brushed Copper
AH	Antique Copper	AH	Antique Copper
	Painted Finish*		Painted Finish
	Specialty Finish		Specialty Finish

Contemporary Trim



STYLE	DIMENSIONS W	H	D	MODEL	LAMP
	14"	7"	7"	QS1052	2N100, 2QCF13, 1QCF18, 1QCF26
	18"	9"	9"	QS1053	2N150, 2CF13, 2QCF18, 2QCF26

BODY		TRIM	
PC	Polished Chrome	PC	Polished Chrome
BA	Brushed Aluminum	BA	Brushed Aluminum
BN	Brushed Nickel	BN	Brushed Nickel
PB	Polished Brass	PB	Polished Brass
BB	Brushed Brass	BB	Brushed Brass
AB	Antique Brass	AB	Antique Brass
PH	Polished Copper	PH	Polished Copper
BH	Brushed Copper	BH	Brushed Copper
AH	Antique Copper	AH	Antique Copper
	Painted Finish		Painted Finish
	Specialty Finish		Specialty Finish

starfire

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801

Decorative Series

Opaque Quarter Sconces

QS1060-2QCF13-BN-BN

QS1062-2QCF13-GM3-PB

QS1060-2QCF13-GM2-BB

QS1064-2QCF13-BB-PB

ACCENTS

PC Polished Chrome



BA Brushed Aluminum

BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



PH Polished Copper



BH Brushed Copper

See The Palette for:
Painted Finishes

Decorative Series Opaque Quarter Sconces



Typical Specification Number

QS1060	–	2N100	–	PC	–	PC	–	TL
MODEL		LAMP		BODY		ACCENT		OPTIONS



Specifications

STANDARD

BODY: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
UL listed

LAMPING

N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes.
Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Vertical Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP	BODY	ACCENT
	14"	7"	7"	QS1060	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1061	2N150, 2CF13, 2QCF18, 2QCF26		

Button Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP	BODY	ACCENT
	14"	7"	7"	QS1062	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1063	2N150, 2CF13, 2QCF18, 2QCF26		

Horizontal Accent



STYLE	DIMENSIONS W	H	D	MODEL	LAMP	BODY	ACCENT
	14"	7"	7"	QS1064	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1065	2N150, 2CF13, 2QCF18, 2QCF26		

7 DONNA DRIVE
WOOD-RIDGE, NJ 07075
TOLL FREE 800-443-8823
FAX 201-438-9541
INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. I0801