

For a quarter century, Starfire Lighting has met the exacting demands of contractors and lighting professionals looking for custom fixtures. While our clientele continues to expect the distinction of custom, their fast-tracked deadlines no longer allow for six-week or longer delivery schedules. Starfire's answer: SELECT STANDARDS.

SELECT STANDARDS offers an extensive family of in-stock, stylish wall sconces that will enhance any architectural style.

We've mixed and matched among our exclusive line of hand-painted Specialty Finishes, a full palette of acrylic colors, a vast collection of plated metals, plus a wide array of lamping options.

With SELECT STANDARDS, lighting professionals have immediate access to custom-designed, specification grade fixtures, all at competitive prices. Just flip through our catalog to find the perfect fixtures to meet your client's taste, budget and deadline.

Select Standards™
 © 2001 Starfire Lighting, Inc. 10801

Translucent Quarter Sconces



Basic Series
 QS1000 - QS1004




Trim Series
 QS1010 - QS1013



Decorative Series
 QS1020 - QS1025


Opaque Quarter Sconces



Basic Series
 QS1030 - QS1035



Back-Lit Series
 QS1040 - QS1042



Trim Series
 QS1050 - QS1053




Decorative Series
 QS1060 - QS1065


Basic Series

Translucent Quarter Sconces

DIFFUSER



D1 Opal-Acrylic



D2 Sandblast Opal-Acrylic



D3 White-Faux Alabaster



D4 Silver-Faux Alabaster



D5 Tan-Faux Alabaster



D6 Honey-Faux Alabaster

OS1001-2N60-D5



OS1001-2N60-D2



OS1001-2N60-D4



OS1001-2N60-D6


Basic Series Translucent Quarter Sconces



Typical Specification Number

QS1000 - 2QCF09 - D4 - TS

MODEL LAMP DIFFUSER OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic

BALLAST: Magnetic, High Power Factor (ADA: Electronic, QCF26 only)

MOUNTING: Conventional wall box

PHOTOMETRICS: Consult factory

 UL listed

LAMPING

N40	40 watt, medium base, A-19
N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF09	9 watt, quad, G23-2 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base (Magnetic Ballast)
	26 watt, quad, G24q-3 base (Electronic Ballast; ADA only)


FINISHES

*Refer to **The Palette**, located at the beginning of binder to view Starfire's exclusive collection of hand-painted Faux Alabaster **Standard Finishes**.

Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER
	W	H	D			
	12"	6"	6"	QS1000	2N40, 2QCF09	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster* D3 White D4 Silver D5 Tan D6 Honey
	14"	7"	7"	QS1001	2N60, 2QCF13	
	14" ADA	7"	4"	QS1002	1N60, 2QCF09	
	18"	9"	9"	QS1003	2N60, 2CF13, 2QCF18, 2QCF26	
	18" ADA	9"	4"	QS1004	2N40, 2CF13	



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-656-0666 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801

Trim Series

Translucent Quarter Sconces



QS1012-2N60-D3-BB



QS1010-2N60-D5-PB




QS1010-2N60-D4-BN




QS1010-2N60-D2-OM1


DIFFUSER



D1 Opal-Acrylic



D2 Sandblast Opal-Acrylic



D3 White-Faux Alabaster



D4 Silver-Faux Alabaster



D5 Tan-Faux Alabaster



D6 Honey-Faux Alabaster

TRIM




PC Polished Chrome




BA Brushed Aluminum




BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper



AH Antique Copper


See The Palette for:
Painted / Specialty Finishes

Trim Series Translucent Quarter Sconces



Typical Specification Number

QS1010	-	2QCF13	-	D5	-	BB	-	TL
MODEL		LAMP		DIFFUSER		TRIM		OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic
 TRIM: Spun metal
 BALLAST: Magnetic, High Power Factor
 MOUNTING: Conventional wall box
 PHOTOMETRICS: Consult factory
 UL listed

LAMPING

N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base



FINISHES

*Refer to The Palette, located at the beginning of binder to view Starfire's exclusive collection of Standard and hand-painted Specialty Finishes. Custom finishes available, consult factory.



OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Traditional Trim

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER	TRIM
	W	H	D				
	14"	7"	7"	QS1010	2N60, 2QCF13	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster* D3 White D4 Silver D5 Tan D6 Honey	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish
	18"	9"	9"	QS1011	2N60, 2CF13, 2QCF18, 2QCF26		

Contemporary Trim

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER	TRIM
	W	H	D				
	14"	7"	7"	QS1012	2N60, 2QCF13	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster D3 White D4 Silver D5 Tan D6 Honey	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish Specialty Finish
	18"	9"	9"	QS1013	2N60, 2CF13, 2QCF18, 2QCF26		



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-656-0666 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801

Decorative Series

Translucent Quarter Sconces



OS1022-2N60-D4-PB



OS1022-2N60-D6-PB




QS1020-2N60-D2-BH




OS1024-2N60-D2-PC


DIFFUSER



D1 Opal-Acrylic



D2 Sandblast Opal-Acrylic



D3 White-Faux Alabaster



D4 Silver-Faux Alabaster



D5 Tan-Faux Alabaster



D6 Honey-Faux Alabaster

ACCENTS




PC Polished Chrome




BA Brushed Aluminum




BN Brushed Nickel



PB Polished Brass



BB Brushed Brass




PH Polished Copper



BH Brushed Copper


See The Palette for:
Painted Finishes

Decorative Series Translucent Quarter Sconces




Typical Specification Number

QS1020	-	2QCF13	-	D1	-	PC	-	TS
MODEL		LAMP		DIFFUSER		ACCENT		OPTIONS



Specifications

STANDARD

DIFFUSER: Acrylic
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
 UL listed

LAMPING

N60	60 watt, medium base, A-19
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base


FINISHES

*Refer to *The Palette*, located at the beginning of binder to view Starfire's exclusive collection of *Standard* and hand-painted *Specialty Finishes*. Custom finishes available, consult factory.


OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory


Vertical Accent

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER	ACCENT
	W	H	D				
	14"	7"	7"	QS1020	2N60, 2QCF13	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster* D3 White D4 Silver D5 Tan D6 Honey	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1021	2N60, 2CF13, 2QCF18, 2QCF26		

Button Accent

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER	ACCENT
	W	H	D				
	14"	7"	7"	QS1022	2N60, 2QCF13	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster D3 White D4 Silver D5 Tan D6 Honey	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish
	18"	9"	9"	QS1023	2N60, 2CF13, 2QCF18, 2QCF26		

Horizontal Accent

STYLE	DIMENSIONS			MODEL	LAMP	DIFFUSER	ACCENT
	W	H	D				
	14"	7"	7"	QS1024	2N60, 2QCF13	Acrylic D1 Opal D2 Sandblasted Opal Faux Alabaster D3 White D4 Silver D5 Tan D6 Honey	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish
	18"	9"	9"	QS1025	2N60, 2CF13, 2QCF18, 2QCF26		



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-656-0666 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801

Basic Series

Opaque Quarter Sconces

BODY




PC Polished Chrome




BA Brushed Aluminum



BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper



AH Antique Copper

See The Palette for:
Painted / Specialty Finishes

OS1032-2QCF13-SP3



OS1032-2QCF13-OM1



OS1032-2QCF13-PC



OS1032-2QCF13-BN


Basic Series Opaque Quarter Sconces



Typical Specification Number

QS1030 - 1CF13 - BA - TL

MODEL LAMP BODY OPTIONS



Specifications

STANDARD

BODY: Spun metal

BALLAST: Magnetic, High Power Factor
(ADA; Electronic, OCF26 only)

MOUNTING: Conventional wall box

PHOTOMETRICS: Consult factory

UL listed

LAMPING

N60	60 watt, medium base, A-19
N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
OCF13	13 watt, quad, GX23-2 base
OCF18	18 watt, quad, G24d-2 base
OCF26	26 watt, quad, G24d-3 base (Magnetic Ballast)
	26 watt, quad, G24q-3 base (Electronic Ballast; ADA only)

STYLE	DIMENSIONS			MODEL	LAMP	BODY
	W	H	D			
	10"	5"	5"	QS1030	1N60, 1CF13	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish
	12"	6"	6"	QS1031	2N60, 1CF13	
	14"	7"	7"	QS1032	2N100, 2OCF13, 1OCF18, 1OCF26	
	14" ADA	7"	4"	QS1033	1N100, 1CF13, 1OCF26	
	18"	9"	9"	QS1034	2N150, 2CF13, 2OCF18, 2OCF26	
	18" ADA	9"	4"	QS1035	2N60, 2CF13, 2OCF26	

FINISHES

*Refer to **The Palette**, located at the beginning of binder to view Starfire's exclusive collection of **Standard** and hand-painted **Specialty Finishes**.

Custom finishes available, consult factory.

OPTIONS

- TL** Top lens
- 277V** Fluorescent only
- EM** Emergency remote ballast; verify model availability with factory
- TS** Top safety screen; 1/4" x 1/4" openings; verify model availability with factory



7 DONNA DRIVE
WOOD-RIDGE, NJ 07075

TOLL FREE 800-443-8823
FAX 201-656-0666

INTERNET www.starfirelighting.com
E-MAIL info@starfirelighting.com

Back-Lit Series

Opaque Quarter Sconces

BODY



PC Polished Chrome




BA Brushed Aluminum



BN Brushed Nickel



PB Polished Brass




BB Brushed Brass



AB Antique Brass



PH Polished Copper



BH Brushed Copper



AH Antique Copper

See The Palette for:
Painted / Specialty Finishes



OS1041-2QCF13-BB



OS1041-2QCF13-PC



OS1041-2QCF13-GM2




OS1041-2QCF13-GM1

Back-Lit Series Opaque Quarter Sconces



Specifications

STANDARD

BODY: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
 UL listed

LAMPING

N60 60 watt, medium base, A-19
N100 100 watt, medium base, A-19
N150 150 watt, medium base, A-21
CF13 13 watt, twin tube, GX23 base
QCF09 9 watt, quad, G23-2 base
QCF13 13 watt, quad, GX23-2 base
QCF18 18 watt, quad, G24d-2 base
QCF26 26 watt, quad, G24d-3 base

FINISHES


*Refer to **The Palette**, located at the beginning of binder to view Starfire's exclusive collection of **Standard** and hand-painted **Specialty Finishes**.
 Custom finishes available, consult factory.




OPTIONS

TL Top lens
277V Fluorescent only
EM Emergency remote ballast; verify model availability with factory
TS Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Typical Specification Number

QS1040	-	2N60	-	PH	-	TL
MODEL		LAMP		BODY		OPTIONS



STYLE	DIMENSIONS			MODEL	LAMP	BODY
	W	H	D			
	12"	6"	6"	QS1040	2N60, 2QCF09	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel
	14"	7"	7"	QS1041	2N100, 2QCF13	PB Polished Brass BB Brushed Brass
	18"	9"	9"	QS1042	2N150, 2CF13, 2QCF18, 2QCF26	AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-656-0666 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801

Trim Series

Opaque Quarter Sconces

TRIM




PC Polished Chrome




BA Brushed Aluminum




BN Brushed Nickel



PB Polished Brass




BB Brushed Brass




AB Antique Brass



PH Polished Copper



BH Brushed Copper



AH Antique Copper

See The Palette for:
Painted / Specialty Finishes



QS1050F-2QCF13-OM1-BB



QS1050-2QCF13-BB-BN



QS1052-2QCF13-BH-BH




QS1050-2QCF13-EM3-AB

Trim Series Opaque Quarter Sconces



Typical Specification Number

QS1050F	-	2QCF13	-	PB	-	BB	-	EM
MODEL		LAMP		BODY		TRIM		OPTIONS



Specifications

STANDARD

BODY: Spun metal
TRIM: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
 UL listed

LAMPING

N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to *The Palette*, located at the beginning of binder to view Starfire's exclusive collection of *Standard* and hand-painted *Specialty Finishes*.
 Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Traditional Trim with Finial (Optional)

STYLE	DIMENSIONS			MODEL	LAMP	BODY	TRIM
	W	H	D				
	14"	7"	7"	QS1050/F (Finial: add F)	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass
	18"	9"	9"	QS1051/F (Finial: add F)	2N150, 2CF13, 2QCF18, 2QCF26	PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish	PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish Specialty Finish

Contemporary Trim

STYLE	DIMENSIONS			MODEL	LAMP	BODY	TRIM
	W	H	D				
	14"	7"	7"	QS1052	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass
	18"	9"	9"	QS1053	2N150, 2CF13, 2QCF18, 2QCF26	PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish Specialty Finish	PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish Specialty Finish



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-656-0666 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801

Decorative Series

Opaque Quarter Sconces

ACCENTS




PC Polished Chrome




BA Brushed Aluminum



BN Brushed Nickel



PB Polished Brass



BB Brushed Brass



PH Polished Copper



BH Brushed Copper

See The Palette for:
Painted Finishes



QS1060-2QCF13-BN-BN



QS1062-2QCF13-GM3-PB




QS1060-2QCF13-GM2-BB




QS1064-2QCF13-BB-PB

Decorative Series Opaque Quarter Sconces



Typical Specification Number

QS1060	-	2N100	-	PC	-	PC	-	TL
MODEL		LAMP		BODY		ACCENT		OPTIONS



Specifications

STANDARD

BODY: Spun metal
BALLAST: Magnetic, High Power Factor
MOUNTING: Conventional wall box
PHOTOMETRICS: Consult factory
 UL listed

LAMPING

N100	100 watt, medium base, A-19
N150	150 watt, medium base, A-21
CF13	13 watt, twin tube, GX23 base
QCF13	13 watt, quad, GX23-2 base
QCF18	18 watt, quad, G24d-2 base
QCF26	26 watt, quad, G24d-3 base

FINISHES

*Refer to *The Palette*, located at the beginning of binder to view Starfires exclusive collection of Standard and hand-painted Specialty Finishes. Custom finishes available, consult factory.

OPTIONS

TL	Top lens
277V	Fluorescent only
EM	Emergency remote ballast; verify model availability with factory
TS	Top safety screen; 1/4" x 1/4" openings; verify model availability with factory

Vertical Accent

STYLE	DIMENSIONS			MODEL	LAMP	BODY	ACCENT
	W	H	D				
	14"	7"	7"	QS1060	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1061	2N150, 2CF13, 2QCF18, 2QCF26		

Button Accent

STYLE	DIMENSIONS			MODEL	LAMP	BODY	ACCENT
	W	H	D				
	14"	7"	7"	QS1062	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1063	2N150, 2CF13, 2QCF18, 2QCF26		

Horizontal Accent

STYLE	DIMENSIONS			MODEL	LAMP	BODY	ACCENT
	W	H	D				
	14"	7"	7"	QS1064	2N100, 2QCF13, 1QCF18, 1QCF26	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass AB Antique Brass PH Polished Copper BH Brushed Copper AH Antique Copper Painted Finish* Specialty Finish*	PC Polished Chrome BA Brushed Aluminum BN Brushed Nickel PB Polished Brass BB Brushed Brass PH Polished Copper BH Brushed Copper Painted Finish*
	18"	9"	9"	QS1065	2N150, 2CF13, 2QCF18, 2QCF26		



7 DONNA DRIVE / TOLL FREE 800-443-8823 / INTERNET www.starfirelighting.com
 WOOD-RIDGE, NJ 07075 / FAX 201-438-9541 / E-MAIL info@starfirelighting.com

© 2001 Starfire Lighting, Inc., Designed in association with Blackman Design Associates, Design modification rights reserved. 10801